

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : RE 39,247 E  
APPLICATION NO.: 10/622,201  
ISSUE DATE : August 22, 2006  
INVENTOR(S) : Gerard F. Barry et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below.

- Col. 157 In claim 10, line 1, replace "137" with --131--.
- Col. 158 In claim 21, line 1, replace "143" with --137--.
- Col. 158 In claim 32, line 2, replace "plant" with --planted--.
- Col. 159 In claim 38, line 1, replace "155" with --149--.
- Col. 160 In claim 57, line 1, replace "137" with --131--.
- Col. 160 In claim 58, line 1, replace "137" with --131--.
- Col. 161 In claim 69, line 2, replace "149" with --143--.
- Col. 161 In claim 109, lines 7, 9 and 13, replace "RNS" with --RNA--.
- Col. 166 In claim 139, line 1, replace "130" with --138--.

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

Howrey LLP  
1111 Louisiana, 25th Floor  
Houston, TX 77007

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

BEST AVAILABLE COPY